



---

A division of Alltemp Products Company Ltd.

---

# POINT OF PURCHASE WORK LIGHTS

## 111128 CLIP-ON ZOOM LIGHT

150 LUMENS

AAA



## 111130 CLIGHT EXTENDS

140 LUMENS

AAA



## 111123 PIVOT TOUGH-LIGHT

150 LUMENS

AAA



**DETAILS ON PAGE 6**

## INDEX

### WORK LIGHTING

HEMI SERIES .....	3
HEMITECH™ SERIES LIGHTING.....	4
TRADITIONAL CORD REELS .....	5
COMPACT SERIES LIGHTING .....	6
UNDERHOOD LIGHTING .....	7

### A/C PERFORMANCE

AIR PURIFICATION.....	8
A/C PERFORMANCE ENHANCERS .....	9
LUBRICANTS AND DYES.....	10

### LEAK DETECTION & TOOLS

LEAK DETECTION INSPECTION LIGHTING .....	11
LEAK DETECTION TOOLS AND KITS .....	12
A/C SERVICE AND SHOP TOOLS.....	13

### REPLACEMENT PARTS

REPLACEMENT PART SOLUTION GUIDE .....	14-15
NEW PRODUCT SOLUTIONS .....	16

## TERMS & CONDITIONS

**MASTER CARTONS:** Orders will be adjusted to nearest standard pack quantity. Shortage claims must be made within 48 hours of receipt.

**ANNUAL STOCK ADJUSTMENTS:** For distributor credits on new material in original packaging, contact Clight Customer Service. All RGAs are to be sent prepaid with RGA # on all documents. All returns are subject to a restocking fee of 25% or an offsetting order of 125% of returned goods.

**PRICING:** Orders invoiced at time of shipping. We reserve the right to change product design or pricing without notice.

**TERMS:** NET 30 Days upon approved credit. Payable to Clight, a division of Alltemp Products Company Ltd. Minimum Order of \$200, excluding replacement parts. Freight is prepaid on single orders of \$1,000 or more to a single destination in Canada or Continental USA.

### DISTRIBUTOR WARRANTY AND RETURNS:

Any manufacturing defects under warranty from date of original purchase, Clight will replace, rebuild, or repair the product without charge.

1 Month	3 Months	6 Months	12 Months
Clipstrip Clipstrip Aqua Clipstrip 2	Clipstrip Aqua All Pivot lights Zoom & Extends Lights	Worklights (Non-LED) Non-rechargeable UV & Blue Lights	LED Worklights Rechargeable UV & Blue Lights

Return defective product to original supplier with proof of purchase and indicate nature of defect. If product is defective and shows no signs of abuse, it will be replaced if under 90 days in use and repaired or replaced at Clight's discretion if over 90 days and still under warranty. All products returned must be inspected by local Clight rep at job location.

For rep name and RGA number, please contact Clight Customer Service. This warranty does not cover the failure of products damaged by abuse, misuse, or improper installation. No warranty for bulbs or cables.

### Clight Customer Service

tel: 800.526.7096 • 416.736.9036 fax: 416.736.9138  
e-mail: customerservice@clight.com

All products denoted with an asterisk are covered by: US &/OR CA &/OR FOREIGN PATS. &/OR PATS. PENDING FOR PRODUCT, METHOD OF USE, &/OR SYSTEM INCORPORATING PRODUCT, CLIGHT.COM





114303\*

## HEMIPLUS™ 8-HOUR WORKLIGHT

820  
LUMENS

8H

Li-ion

- 8 hour cordless runtime
- Patented Uni-Beam™ technology: 70° perfect beam
- 8800 mAh lithium-ion battery recharges in 4 hours – charge anytime
- Aluminum chassis, no-slip grip and recessed on/off switch
- Optional 12V charger and magnet



114301 | 410239

## HEMImini RECHARGEABLE WORKLIGHT

1000  
LUMENS

8H

500  
LUMENS

8H

Li-ion

- 1000 lumens - 4 hour runtime
- 500 lumens - 8 hour runtime
- 4400 mAh smart lithium ion battery, rechargeable in 3.5 hours - charge anytime
- Aircraft grade aluminum chassis
- 180° swivel hook
- Mini-USB charger (100-240V)
- Optional 12V DC charger and magnet
- All parts user replaceable in minutes
- Optional Magnetic Cover - 410239



223123\*

## HEMIPLUS™ 3-WAY CORD OR CORDLESS

820  
LUMENS

8H

Li-ion



- Same cordless features as HEMIPLUS™
- Detaches from cord reel for 8-hour cordless runtime
- Chrome cord reel: 40 ft | 12.2 m Premium SJOW 18/2 cable

111121

## SPOTLIGHT CORDLESS

- 15W COB
- 1200 lumens - 3 hour run time
- 600 lumens - 5 hour run time
- Aluminum body
- Two adjustable joints on stand for different angles. Magnetic stand included
- 4000 mAh rechargeable Lithium-ion battery
- Three power modes including dimmer
- Charging time: 6 hrs



114302

## HEMIPLUS™ 2 RECHARGEABLE

- 1200 Lumens - 4 hour run time
- 600 Lumens - 8 hour run time
- 4400 mAh lithium ion rechargeable battery
- Metal hook
- Removable Magnetic Cover
- Charging port
- 4 hour charge time
- Aircraft grade aluminum chassis



HEMI SERIES REFERENCE GUIDE

PART #	PRODUCT	LUMENS	RUN TIME (H)	CORD/ CORDLESS	POWER CONFIGURATION
114301	HEMIMINI	1000, 500	4,8	CORDLESS	OUTLET
114302	HEMIPLUS2	1200, 600	4,8	CORDLESS	OUTLET
114303	HEMIPLUS	820	8	CORDLESS	OUTLET
223123	HEMIPLUS 3-WAY (40ft)	820	8	CHROME REEL (DETACHABLE FROM CORD)	OUTLET
123073	HEMIPLUS 3-WAY (25ft)	820	8	CORD (DETACHABLE FROM CORD)	OUTLET
123153	HEMIPLUS 3-WAY (50ft)	820	8	CORD (DETACHABLE FROM CORD)	OUTLET
111121	SPOTLIGHT	1200, 600	3,5	CORDLESS	OUTLET

223112\*

# HEMITECH ONE™

## POWERFUL LED WORKLIGHT

**900**  
LUMENS


- Patented Uni-Beam™ technology: 84° perfect beam
- Single high-performance array LED
- Aluminum chassis, no-slip grip and recessed on/off switch
- Sliding hook with optional magnet
- Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop

223312\*

## HEMITECH 3™

**540**  
LUMENS


- Patented Uni-Beam™ technology: 70° perfect beam
- Aluminum chassis, no-slip grip and recessed on/off switch
- Sliding hook with optional magnet
- Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop

223412\*

## HEMITECH 4™

**720**  
LUMENS


- Patented Uni-Beam™ technology: 70° perfect beam
- Aluminum chassis, no-slip grip and recessed on/off switch
- Sliding hook with optional magnet
- Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop

HEMITECH SERIES LIGHTING REFERENCE GUIDE

PART #	PRODUCT	LUMENS	LENGTH	CORD/CORDLESS	POWER CONFIGURATION
223112	HEMITECH ONE	900	40 FT (12.2 M)	CHROME REEL	OUTLET
123107	HEMITECH ONE	900	25 FT (7.6 M)	CORD	OUTLET
123115	HEMITECH ONE	900	50 FT (15.3 M)	CORD	OUTLET
223312	HEMITECH 3	540	40 FT (12.2 M)	CHROME REEL	OUTLET
123307	HEMITECH 3	540	25 FT (7.6 M)	CORD	OUTLET
123315	HEMITECH 3	540	50 FT (15.3 M)	CORD	OUTLET
223412	HEMITECH 4	720	40 FT (12.2 M)	CHROME REEL	OUTLET
123407	HEMITECH 4	720	25 FT (7.6 M)	CORD	OUTLET
123415	HEMITECH 4	720	50 FT (15.3 M)	CORD	OUTLET



222308

# CHROME TRI-TAP

## DIAMOND-STAMPED STEEL CORD REEL

- Tri-tap outlet
- 13 amp circuit breaker
- 30 ft | 9.2 m SJTW 14/3 cable with adjustable stop



### 210215 FLUORESCENT



- 13 watt
- Magnet
- 40 ft | 12.2 m SJT 18/2 cable

### 226315 HEAVY DUTY FLUORESCENT



- 26 watt
- Magnet
- Grounded outlet handle
- 50 ft | 15.3 m SJTW 16/3 cable

### 200312 INCANDESCENT



- Grounded outlet handle
- 40 ft | 12.2 m SVT 18/3 cable

### 221308 TRI-TAP



- Tri-tap outlet
- 10 amp circuit breaker
- 30 ft | 9.2 m SJTW 16/3 cable

### 222315 HEAVY DUTY TRI-TAP



- Tri-tap outlet
- 15 amp circuit breaker
- 50 ft | 15.3 m SJTW 12/3 cable

#### TRADITIONAL CORD REEL REFERENCE GUIDE

PART #	PRODUCT	LENGTH	CABLE TYPE
222308	CHROME TRI-TAP	30 FT (9.2 M)	SJTW 14/3
210215	FLOURESCENT (13W) WITH CORD REEL	40 FT (12.2 M)	SJT 18/2
226315	HEAVY DUTY FLOURESCENT (26W) WITH CORD REEL	50 FT (15.3 M)	SJTW 16/3
200312	INCANDESCENT WITH CORD REEL	40 FT (12.2 M)	SVT 18/3
221308	TRI-TAP	30 FT (9.2 M)	SJTW 16/3
222315	HEAVY DUTY TRI-TAP	50FT (15.3 M)	SJTW 12/3

# COMPACT SERIES LIGHTING

## 111112 - CLIPSTRIP 111116 - CLIPSTRIP CAMO CLIPSTRIP™

140 LUMENS

- 140 Lumens
- Powerful pocket light
- Pivoting magnetic clip
- 3 AAA batteries included



Sold as 12 Pack Counter Display

## 111118 CLIPSTRIP2™

140 LUMENS

- 140 Lumens
- Powerful pocket light
- Pivoting magnetic clip
- 3 AAA batteries included



Sold as 9 Pack Counter Display

## 111113 CLIPSTRIP™ AQUA

180 LUMENS 4 1/2 H Li-ion IP66

- 180 Lumens
- Waterproof and floating
- Rechargeable 2200 mAh lithium-ion battery
- Magnet and belt clip included



Sold Individually

## 111114 PIVOT

240 LUMENS

- 240 Lumens
- 5 LED top flashlight
- 360° swivel hook
- Magnetic base and back
- 3 AA batteries included



Sold as 9 Pack Counter Display

## 111115 - PIVOT MINI 111117 - PIVOT MINI CAMO PIVOTmini

120 LUMENS

- 120 Lumens
- Lights on front and top
- 360° folding swivel hook
- Magnetic base and back
- 3 AAA batteries included



Sold as 12 Pack Counter Display

## 24-458 - PIVOT 33, 24-460 - PIVOT 33 CAMO PIVOT33

160 LUMENS

- 160 Lumens
- Lights on front and top
- Magnetic pivoting base
- 360° swivel hook
- 3 AA batteries included



Sold as 9 Pack Counter Display

## 111123 PIVOT TOUGH-LIGHT

150 LUMENS

- 150 Lumens with magnetic base
- Hanging hook | 180° pivoting
- 3 AAA batteries included



Sold as 8 Pack Counter Display

## 111128 CLIP-ON ZOOM LIGHT

150 LUMENS

- 150 Lumens with magnetic base
- 90° pivoting
- 3 AAA batteries included



Sold as 8 Pack Counter Display

## 111130 CLIPLIGHT EXTENDS

120 LUMENS 140 LUMENS

- 120 Lumens top | 140 Lumens front
- Pivoting head with magnetic base
- Telescopic worklight
- 4 AAA batteries included



Sold as 8 Pack Counter Display

### COMPACT SERIES LIGHTING REFERENCE GUIDE

PART #	PRODUCT	LUMENS	MAGNETIC	POWER CONFIGURATION (BATTERIES INCL. WHERE APPLICABLE)	COUNTER DISPLAY
111112	CLIPSTRIP	140	YES	3 AAA	12 PACK
111116	CLIPSTRIP CAMO	140	YES	3 AAA	12 PACK
111118	CLIPSTRIP 2	140	YES	3 AAA	9 PACK
111113	CLIPSTRIP AQUA	180	YES	RECHARGEABLE	SOLD INDIVIDUALLY
111114	PIVOT	240	YES	3 AA	9 PACK
111115	PIVOT MINI	120	YES	3 AAA	12 PACK
111117	PIVOT MINI CAMO	120	YES	3 AAA	12 PACK
24-458	PIVOT 33	160	YES	3 AA	9 PACK
24-460	PIVOT 33 CAMO	160	YES	3 AA	9 PACK
111123	PIVOT TOUGH-LIGHT	150	YES	3 AAA	8 PACK
111128	CLIP-ON ZOOM LIGHT	150 (HEAD)	YES	3 AAA	8 PACK
111130	CLIPLIGHT EXTENDS	140 (WORKLIGHT)	YES	4 AAA	8 PACK



111036

# UNDERHOOD LIGHT

1200  
LUMENS

4H

700  
LUMENS

8H



- 1200 Lumens - 4 hour run time
- 700 Lumens - 8 hour run time
- Rechargeable lithium ion battery
- Bracket extends up to 78" (2m)
- Independent dual switches
- Magnets and hooks in handles
- AC and DC chargers included



## 101307 | 101315 INCANDESCENT

- Grounded outlet handle
- 13 amp circuit breaker

101307 – 23 ft | 7 m SJOW 16/3 cable  
101315 – 50 ft | 15.3 m SJOW 16/3 cable



## 100307 | 100310 | 100315 INCANDESCENT

- Grounded outlet handle

100307 – 23 ft | 7 m SJTW 16/3 cable  
100310 – 32 ft | 10 m SJTW 16/3 cable  
100315 – 50 ft | 15.3 m SJTW 16/3 cable



## 111207 FLUORESCENT

- 15 watt
- 23 ft | 7 m Premium SJOW 18/2 cable



## 111307 | 126307 RUGGED FLUORESCENT

- Grounded outlet handle and magnet
- 25 ft | 7.6 m SJTW 16/3 cable

111307 – 13 watt  
126307 – 26 watt



## 111201 FOCUS AND STROBE LED

180  
LUMENS



- 180 Lumens
- Constant or strobe beam
- Focusing beam
- Compact design
- 3 AAA batteries included



## 100505 THE CLIPLIGHT™


- "The Original" battery clip-on light
- Custom 12V bulb and protective cage
- 15 ft | 5 m PXWT 18/2 cable



### UNDERHOOD LIGHTING REFERENCE GUIDE

PART #	PRODUCT	LENGTH	CABLE TYPE	POWER CONFIGURATION
111036	UNDERHOOD LIGHTS	-	-	RECHARGEABLE
101307	INCANDESCENT WITH CIRCUIT BREAKER	23FT (7M)	SJOW 16/3	OUTLET
101315	INCANDESCENT WITH CIRCUIT BREAKER	50FT (15.3M)	SJOW 16/3	OUTLET
100307	INCANDESCENT	23FT (7M)	SJTW 16/3	OUTLET
100310	INCANDESCENT	32FT (10M)	SJTW 16/3	OUTLET
100315	INCANDESCENT	50FT (15.3M)	SJTW 16/3	OUTLET
111207	FLUORESCENT (15W)	23FT (7M)	SJOW 16/3	OUTLET
111307	RUGGED FLUORESCENT (13W)	25FT (7.6M)	SJTW 16/3	OUTLET
126307	RUGGED FLUORESCENT (26W)	25FT (7.6M)	SJTW 16/3	OUTLET
111201	FOCUS AND STROBE LED	-	-	3AAA
100505	THE CLIPLIGHT	15FT (5M)	PXWT 18/2	12V CLIPS

170AIR  
**THE PURIFIER**  
FRESH AIR OZONE MACHINE



**Features & Benefits**

- Eliminates germs and mold from A/C systems including cabin interiors
- Effectively removes offensive and stubborn odors such as tobacco smoke
- Completes most jobs in only 20 minutes
- Programmable timer with LCD display
- Zero maintenance with no consumables



**Specifications**

- Weight: 5 lbs | 2.3 kg
- Dimensions: 5.5" H x 5.5" W x 13.5" L  
14 cm x 14 cm x 34 cm
- Power: AC (100-240V) & DC



171AIR  
**ODOR~AID**  
DISINFECT & DEODORIZE

- Eliminates bacteria, germs and mold that cause offensive odors
- Deodorizes and disinfects cabin interiors



AIR PURIFICATION REFERENCE GUIDE			
PART #	PRODUCT	POWER CONFIGURATION	COUNTER DISPLAY
170AIR	THE PURIFIER	AC (100-240V), DC	N/A
171AIR	ODOR-AID	N/A	12 PACK





# SUPER SEAL

## PROFESSIONAL A/C STOP LEAK SOLUTIONS



**PREMIUM**  
946KIT\*

- Permanently seals and prevents leaks
- Seals leaks in evaporators, condensers, accumulators, O-rings, gaskets, metal lines and rubber hoses
- Compatible with all oils and refrigerants
- Hose included

Reduce post-service callbacks with the industry's most trusted A/C stop leak solution.



Permanent +  
Prevents Leaks



Boosts  
Efficiency



Equipment  
Safe



**TARGET**  
941KIT\*

- A third of the volume of Super Seal Premium™
- Economical method to permanently seal leaks
- Compatible with all oils and refrigerants
- Hose included

70501KIT  
**RETROCHILL™**



- Fast and efficient retrofit from R12 to R134A
- Hose & fittings included

945KIT  
**SUPER CHILL™**



- Stops leaks in O-rings, seals and gaskets
- Improves R134A system efficiency
- Lowers vent temperatures
- Quiets compressors
- Hose included

### A/C PERFORMANCE ENHANCER REFERENCE GUIDE

PART #	PRODUCT	PRODUCT TYPE
946KIT	SUPER SEAL PREMIUM	LEAK SEALANT
941KIT	SUPER SEAL TARGET	LEAK SEALANT
70501KIT	RETROCHILL	RETROFIT OIL
945KIT	SUPER CHILL	LEAK SEALANT

**51105 | 51110**  
**PAO 68 OIL**


- Universal, high-quality multi-grade synthetic oil
- Improves efficiency with quicker pull down times and lower vent temperatures
- Eliminates carrying different grades or viscosities of A/C lubricants
- Fill-up or top-off
- Available in multiple sizes

**51111**  
**PAO 68 OIL**  
**+ UV DYE**

**51112**  
**HYBRID A/C**  
**COMPRESSOR OIL**


- Synthetic lubricant for hybrid A/C systems
- Protects against electrical current leakage
- Contains conditioners, inhibitors and anti-wear agents

**805CLN**  
**DYE CLEANER**


- Industrial strength
- Removes dye from leaking areas
- Eliminates dirt, grease and oil stains

**980\***  
**FLASH™ UNIVERSAL**  
**A/C DYE**


- Instant distribution
- No dye injector required
- Required hose **943** (not included)

**A/C DYE**
**900008**  
**8 oz | 236 ml**

**900006B**  
**6 x 1 oz | 30 ml**

**900012B**  
**12 x ¼ oz | 7.5 ml**


- Meets SAE Standard J2297
- Recommended Usage: ¼ oz per 10 oz | 7.5 ml per 300 ml of compressor oil

**MULTI-PURPOSE DYE**
**909008**  
**8 oz | 236 ml**

**909006B**  
**6 x 1 oz | 30 ml**

**909012B**  
**12 x ¼ oz | 7.5 ml**


- For engines, transmissions, hydraulics, power steering and fuel system leaks
- Recommended Usage: 1 oz per 5 qt | 30 ml per 4.8 L of engine oil

**RADIATOR DYE**
**990008**  
**8 oz | 236 ml**

**990006B**  
**6 x 1 oz | 30 ml**

**990012B**  
**12 x ¼ oz | 7.5 ml**


- Recommended Usage: 1 oz per 8 qt | 30 ml per 7.6 L of coolant

**PAG AND DYE**
**511046 | 511101 | 511150**  
**8 oz | 236 ml**


- Available in 46, 100 or 150 Viscosity

**ESTER AND DYE**
**511102**  
**8 oz | 236 ml**


- Available in 100 Viscosity

**LUBRICANTS AND DYES REFERENCE GUIDE**

PART #	PRODUCT	VOLUME	PRODUCT TYPE
51105	PAO 68 OIL	17 OZ (500ML)	LUBRICANT
51110	PAO 68 OIL	34 OZ (1L)	LUBRICANT
51111	PAO 68 OIL AND DYE	34 OZ (1L)	LUBRICANT AND DYE
51112	HYBRID A/C COMPRESSOR OIL	8 OZ (236ML)	COMPRESSOR OIL
805CLN	DYE CLEANER	17 OZ (500 ML)	DYE REMOVER
980	FLASH UNIVERSAL DYE	.14 OZ (4ML)	A/C DYE
900008	A/C DYE	8 OZ (236ML)	A/C DYE
900006B	A/C DYE	(6) 1 OZ (30ML)	A/C DYE
900012B	A/C DYE	(12) .25 OZ (7.5ML)	A/C DYE
909008	MULTI-PURPOSE DYE	8 OZ (236ML)	MULTI-PURPOSE DYE
909006B	MULTI-PURPOSE DYE	(6) 1 OZ (30ML)	MULTI-PURPOSE DYE
909012B	MULTI-PURPOSE DYE	(12) .25 OZ (7.5ML)	MULTI-PURPOSE DYE
990008	RADIATOR DYE	8 OZ (236ML)	RADIATOR DYE
990006B	RADIATOR DYE	(6) 1 OZ (30ML)	RADIATOR DYE
990012B	RADIATOR DYE	(12) .25 OZ (7.5ML)	RADIATOR DYE
511046	PAG AND DYE (46 VISCOSITY)	8 OZ (236ML)	PAG AND DYE
511101	PAG AND DYE (100 VISCOSITY)	8 OZ (236ML)	PAG AND DYE
511150	PAG AND DYE (150 VISCOSITY)	8 OZ (236ML)	PAG AND DYE
511102	ESTER AND DYE (100 VISCOSITY)	8 OZ (236ML)	ESTER AND DYE



## 87DCPLUS<sup>®</sup> **SEEKERmax**<sup>™</sup>



- High-powered UV LED
- Constant, strobe or focusing beam
- Rechargeable 2200 mAh lithium-ion battery
- Rugged aluminum body
- Available in various voltages



## 84DCPLUS<sup>®</sup> **SEEKERmini**<sup>™</sup>



- High-powered UV LED
- Constant, strobe or focusing beam
- 3 AAA batteries included



## 450DCPLUS<sup>®</sup> **450plus**<sup>™</sup>



- Blue LED detects leaks up to 25 ft | 7.6 m away in daylight
- Constant, strobe or focusing beam
- Rechargeable 2200 mAh lithium-ion battery
- Rugged aluminum body
- UV enhancing glasses included
- Available in various voltages



## 88DC<sup>®</sup> **450mini**<sup>™</sup>



- High-powered blue LED
- Constant, strobe or focusing beam
- UV enhancing glasses included
- 3 AAA batteries included



## 81DC<sup>®</sup> **SLIM-LINE BLUE LED**



- 6 high intensity blue LEDs
- Compact size
- 3 AA batteries included



## 89DC<sup>®</sup> **UV Pocket Light**




- 7 high intensity UV LEDs
- Compact Size
- 180° swivel
- 3 AAA batteries included
- No UV enhancing glasses needed



LEAK DETECTION INSPECTION LIGHTING REFERENCE GUIDE

PART #	PRODUCT	UV GLASSES REQUIRED	POWER CONFIGURATION (BATTERIES INCLUDED WHERE APPLICABLE)
87DCPLUS	SEEKERMAX	NO	RECHARGEABLE
84DCPLUS	SEEKERMINI	NO	3 AAA
450DCPLUS	450PLUS	YES	RECHARGEABLE
88DC	450MINI	YES	3 AAA
81DC	SLIM-LINE BLUE LED	YES	3 AA
89DC	UV POCKET LIGHT	NO	3 AAA

9514KIT  
PRO COMPACT  
UNIVERSAL A/C DYE  
INJECTOR



- Heavy-duty chrome body
- One handle turn equals one shot
- Universal – meets SAE Standard J2297
- Service stickers, hose and fittings

9928KIT™  
PRO COMPACT KIT



- 2 x 14 shot A/C dye cartridge
- Dye cleaner and drip guards
- UV enhancing glasses and case
- Service stickers, hose and fittings

9981KIT  
PRO COMPACT KIT



- 1 x 14 shot A/C dye cartridge
- 1 bottle coolant dye and one bottle of coolant dye and oil/transmission dye
- Drip guards, UV enhancing glasses and case included
- Service stickers, hose and fittings

98181KIT™  
FLASH™ UNIVERSAL  
A/C DYE KIT



- 1 can of Flash dye
- 1 x 3 service stickers
- 1 bottle of coolant dye and oil/ transmission dye
- 81DC blue LED light
- UV enhancing glasses and storage case
- 943 hose included

LEAK DETECTION TOOL AND KIT REFERENCE GUIDE			
PART #	PRODUCT	CHEMICAL INCLUDED	LIGHTING INCLUDED
9514KIT	PRO COMPACT UNIVERSAL A/C DYE INJECTOR	1 X 14 SHOT A/C DYE CARTRIDGE	N/A
9928KIT	PRO COMPACT KIT	2 X 14 SHOT A/C DYE CARTRIDGE	SEEKERMAX
9981KIT	PRO COMPACT KIT	1 X 14 SHOT A/C DYE CARTRIDGE	SLIM-LINE BLUE LED
98181KIT	FLASH UNIVERSAL A/C DYE KIT	1 EACH FLASH, RADIATOR AND MULTI-PURPOSE DYES	SLIM-LINE BLUE LED

## 72102 RECYCLE GUARD



- Cleanses refrigerant in A/C systems
- Traps and removes contaminants
- Compatible with all A/C recovery equipment
- Recovery hose included
- Replacement filters available

## 580500<sup>+</sup> SPARK-KEY™



- Ignites all butane, propane and gas torches
- 100,000 sure-fire sparks
- Water-resistant
- No batteries required

## 312KIT VALVE CORE REMOVER



- Removes valve core without loss of vacuum
- Compatible with R12 and R134A systems
- Available for Standard, SPX Standard, SPX mm, Eaton (Ford), and GM high and low side adaptors

## 590441 WIRE STRIPPER



- Automatic adjustment to wire size
- Deep embossed wire gauge markings
- Corrosion-resistant with black oxide finish

## 580747 RUGGED CIRCUIT TESTER



- Industrial-duty
- 6, 12 and 24V compatible
- 5 ft | 1.5 m cable

## 580711 CIRCUIT TESTER



- 6, 12 and 24V compatible
- 3 ft | 0.9 m cable

### A/C SERVICE AND SHOP TOOL REFERENCE GUIDE

PART #	PRODUCT	PRODUCT TYPE
72102	RECYCLE GUARD	A/C SERVICE
580500	SPARK KEY	SHOP TOOL
580512	SPARK KEY 12 PACK COUNTER DISPLAY	SHOP TOOL
312KIT	VALVE CORE REMOVER	A/C SERVICE
590441	WIRE STRIPPER	SHOP TOOL
580747	RUGGED CIRCUIT TESTER	SHOP TOOL
580711	CIRCUIT TESTER	SHOP TOOL



REPLACEMENT PART SOLUTION GUIDE

PRODUCT	HEMIPLUS	HEMIPLUS 3-WAY	HEMI- MINI	HEMI- PLUS2	SPOTLIGHT	HEMITECH ONE	HEMITECH 3	HEMITECH 4	INCAN. LIGHT (w/13 amp cir. bkr)	INCANDESCENT LIGHT	THE CLIPLIGHT
3 Conductor Handle										400106 (23ft/7m) 400106 (32ft/10m) 400106 (50ft/15.3m)	
3 Conductor Handle & Circuit Breaker									400107 (23ft/7m) (50ft/15.3m)		
4.2V Charger											
12V Charger	UVEC-07G	UVEC-07G									
13W Fluorescent Bulb											
AC Adapter											
Back Plate				410246							
Base Charging Contacts	410196										
Battery	410190	410190	410230	410242							
Bottom Cap Assembly			410229	410240							
Cable (No Adapter) - 25 Foot (7.6 Meters)		410178				410178	410178	410178			
Cable Adapter		410213				410182	410182	410182			
Car Charger			410233								
Charger	410195										
Charging Station	410191										
Chrome Cord Reel (No Cable Adapter)		410183				410183	410183	410183			
Circuit Board	410198	410198	410226	410247							
Flash Hose											
Front Panel Battery Connector				410248							
Hook Assembly	410189	410189	410228	410244		410209	410209	410209			
LED with Heat Sink			410225	410245							
Lens Shield	410192	410192	410224	410241		410208	410172	410172			
Light Head						400121	400123	400124			
Magnet	410207	410207	410234			410171/ 410210	410171/ 410210	410171/ 410210			
Magnetic Cover			410239	410249							
Metal Cage									400101 (23ft/7m) 400101 (50ft/15.3m)	400101 (23ft/7m) 400101 (32ft/10m) 400101 (50ft/15.3m)	
Purifier Bulb											
Pro Compact A/C Dye Cartridge											
Pro Compact Hose											
Pro Compact Injector											
Recycle Guard Filter											
Recycle Guard Hose											
Side Bumpers	410199	410199									
Socket Switch									400104	400104	400104
Spotlight Magnetic Stand					410252						
Spotlight Stand					410251						
Spotlight Wall Charger					410250						
Switch Cover	410197			410243							
USB Charger			410232								
USB Circuit Board			410227								
USB Cord			410231								
UV Enhancing Glasses											
Electric											

FLUORESCENT W/ CORD REEL	RUGGED FLUORESCENT 13W/26W	RUGGED FLUORESCENT W/ CORD REEL 26W	INCANDESCENT W/ CORD REEL	450plus	450mini	SEEKERmax	PRO COMPACT UNIVERSAL A/C DYE INJECTOR	PRO COMPACT KIT	FLASH UNIVERSAL A/C DYE KIT	RECYCLE GUARD	THE PURIFIER
400106											
UVEC-CIG4.2V						UVEC-CIG4.2V					
										UVEC-07G	
410113RS	410113RS	410113RS									
											410211
18650						18650					
											170AIRPCB
										943	
410117	410117 (13W) 410159 (26W)	410159									
	410114 (13W) 410158 (26W)	410158									
400101											
											410212
							955014	955014			
							20126	20126			
							955000	955000			
										72110	
										72120	
400104											
							131 (9928KIT/ 9981KIT)			131 (981811011)	
											170AIRFAN

# NEW PRODUCT SOLUTIONS

114301 | 410239

## HEMImini RECHARGEABLE



1000 Lumens  
See Page 3

114302

## HEMIPLUS<sup>™</sup> 2 RECHARGEABLE



1200 Lumens  
See Page 3

111036

## UNDERHOOD LIGHT RECHARGEABLE



1200 Lumens  
See Page 7

111121

## SPOTLIGHT RECHARGEABLE



1200 Lumens  
See Page 3