

Create a [MyThomas Account](#) | [Log In](#)

[ThomasNet Home](#) | [Product News](#) | [Forums](#) | [White Papers](#) | [Promote Your Business](#)



Search for: Search what? News

[Home](#) | [My Newsroom](#) | [Industrial Market Trends](#) | [Submit Release](#) | [Advertise](#) | [About Us](#)

Sep 22, 2009

Sections

- [Latest New Product News](#)
- [Industrial Market Trends](#)
- [Green & Clean News](#) NEW!
- [Association & Government News](#)
- [Adhesives and Sealants](#)
- [Agricultural and Farming Products](#)
- [Architectural and Civil Engineering Products](#)
- [Automatic ID](#)
- [Chemical Processing and Waste Management](#)
- [Cleaning Products and Equipment](#)
- [Communication Systems and Equipment](#)
- [Computer Hardware and Peripherals](#)
- [Construction Equipment and Supplies](#)
- [Controls and Controllers](#)
- [Display and Presentation Equipment](#)
- [Electrical Equipment and Systems](#)
- [Electronic Components and Devices](#)
- [Explosives, Armaments and Weaponry](#)
- [Fasteners and Hardware](#)
- [Fluid and Gas Flow Equipment](#)
- [Food Processing and Preparation](#)
- [Health, Medical and Dental Supplies and Equipment](#)
- [HVAC](#)
- [Labels, Tags, Signage and Equipment](#)
- [Laboratory and Research Supplies and Equipment](#)
- [Lubricants](#)
- [Machinery and Machining Tools](#)
- [Material Handling and Storage](#)
- [Materials and Material Processing](#)
- [Mechanical Components and Assemblies](#)



Tempco Electric Heater Corporation

Designs and Manufactures Heating Elements, Temperature Sensors and Controls, and Turnkey Process Heating Systems. Thousands of products including accessory items are available from stock. Request our 864 page Visionary Solution catalog for product and engineering information.

Advertisement

Drying Agent and Sealant fix leaks in refrigeration systems.

April 24, 2009 - Ultra Pack features 3 oz, vacuum-packed can of Dry-R, which chemically changes H₂O to low-viscosity, non-oily, and residue-free liquid. It chemically reacts with H₂O to form liquids soluble with AB, mineral, POE, and PAG oils used in refrigeration systems. Super Seal HVACR, designed for 1.5-5 ton AC/R systems, seals undetectable or inaccessible leaks, 300 microns or smaller, in condensers, evaporators, and line sets from inside out. Package also includes charging hose.



Drying Agent and Sealant fix leaks in refrigeration systems.

[Click Here to Enlarge Picture](#)

See related product stories

- ▶ [Drying Agent minimizes adhesion of dust to vehicle surfaces.](#)
- ▶ [Thread Sealant suits HVAC applications.](#)
- ▶ [Refrigeration Sealants seal undetectable or micro leaks.](#)

See more product news in:

- ▶ [Adhesives and Sealants](#)
- ▶ [Materials and Material Processing](#)

Tools for you

- | | |
|---|--|
| del.icio.us | Digg |
| Facebook | Reddit |
| StumbleUpon | Twitter |
| ▶ Print This Page | ▶ E-Mail Story |
| ▶ Watch Company | ▶ Save Story |
| ▶ Contact company | ▶ View Company Profile |
| ▶ Company web site | |
| ▶ More news from this company | |

Original Press Release

Cliplight Ultra Packs a One-Two Punch; Knocks Out A/C & Refrigeration Moisture and Leaks

Ultra Pack combines Cliplight's Dry R(TM) drying agent with classic Super Seal HVACR(TM) leak sealant for refrigeration system leak fixing.

Cliplight Mfg., Toronto, a leading HVAC/R aftermarket tool manufacturer, has introduced the Ultra Pack, a one-two punch combination of

Category Advertisements



Newsroom Advertisers

- [Mechanical Power](#)
- [Transmission](#)
- [Mining, Oil Drilling & Refining](#)
- [Mounting and Attaching Products](#)
- [Non-Industrial Products](#)
- [Optics and Photonics](#)
- [Packaging Products & Equipment](#)
- [Paints and Coatings](#)
- [Plant Furnishings and Accessories](#)
- [Portable Tools](#)
- [Printing and Duplicating Equipment](#)
- [Retail and Sales Equipment](#)
- [Robotics](#)
- [Safety and Security Equipment](#)
- [Sensors, Monitors and Transducers](#)
- [Services](#)
- [Software](#)
- [Test and Measuring Instruments](#)
- [Textile Industry Products](#)
- [Thermal and Heating Equipment](#)
- [Timers and Clocks](#)
- [Transportation Industry Products](#)
- [Vision Systems](#)
- [Waste Handling Equipment](#)
- [Welding Equipment and Supplies](#)
- [Press Releases](#)
- [Products in the News](#)
- [Company News](#)
- [Mergers & Acquisitions](#)
- [People in the News](#)
- [Literature & Websites](#)
- [Resources](#)
- [News Delivery Options](#)
- [RSS](#)
- [JS](#)
- [Browse Categories](#)
- [Browse Companies](#)
- [Mobile Edition](#)
- [PR Resources](#)
- [Licensing](#)
- [Advertising](#)
- [How to Write an effective Press Release](#)
- [Trade Associations](#)
- [Small Business Support](#)
- [MEP](#)

Advertisement

www.maxprotech.com
Phone: 814-474-9191
Fax: 814-474-9391

High Pressure Valves, Fittings and Tubing

Air Operated Gas Boosters, Liquid Pumps and Air Amplifiers

Custom designed Packaged Power Systems

Pressures to 65,000 P.S.I.

More Tools and information

Search for suppliers of

- ▶ [HVAC Sealants](#)
- ▶ [Drying Agents](#)

Join the forum discussion at:

- ▶ [Hard to Handle](#)

Newsletters

Your Gateway to a Fast Changing World Product News Alerts

Receive similar stories and other customized news to keep you in the know on the products shaping industry.

Subscribe Free Today
[Subscribe](#) [View Sample](#)

Industrial Market Trends Has Got It

- Latest developments
- Trends
- Best practices
- Opinions & Commentary

Get Ahead. Get IMT.
Subscribe Free Today
[Subscribe](#) [View Sample](#)

complementary products that knocks out moisture/acid with a can of Dry R(TM) and seals refrigerant leaks with a can of the manufacturer's classic Super Seal HVACR(TM) air-conditioning/refrigeration (AC/R) system leak sealant.

Since Ciplight's patented leak sealing process requires a moisture-free system for ultimate efficacy, the Ultra Pack includes a one-ounce can of Dry-R that eliminates the required time-consuming procedure of drying out a system with filter/drier change-outs and triple evacuations to boil off moisture.

Ultra shouldn't be confused with the recently introduced Super Seal Total(TM), which combines smaller doses of Super Seal HVACR, Dry-R, plus a dye combined into one application can that's designed as a proactive preventative maintenance application before systems leak or after a conventional repair. The Ultra Pack is reactive and designed for systems that are known to be leaking," according to Paul Appler, Ciplight's director of research and the inventor of both Super Seal and Dry-R.

Each Ultra Pack includes:

- o A three-ounce, vacuum-packed can of Dry-R, which chemically

Fluid Metering Inc.
[Valveless Metering Pumps & Dispensers](#)

The one-stop manufacturing source for your metal tube cutting and fabrication needs.

Four Slide Products
800-292-5082

You Can! ASK Pro-face

[Click Here](#)

INDIUM CORPORATION

Award-winning supplier of electronics assembly materials
800-4-INDIUM
[www.indium.com](#)

Advertisement

[Adsorbents & Desiccants Corporation of America \(ADCOA\)](#)

Manufacturer & distributor of complete line of adsorbents & desiccants including silica gel, beaded ... [more](#)

[W.A. Hammond, Drierite Co. Ltd.](#)

Manufacturer of desiccants & absorbents. Specifications of adsorbents include 65 lbs./cu.ft. ... [more](#)

[EMSEAL Joint Systems, Ltd.](#)

Manufacturer of standard & custom impregnated & saturated foam sealants & expansion joint systems. ... [more](#)

changes H₂O to a low viscosity, non-oily, highly soluble and residue-free liquid that flows freely throughout the system without chemically attaching to commonly-found AC/R system contaminants. Dry-R chemically reacts with system H₂O resulting in new molecularly reassembled liquids that are completely soluble with AB, mineral, POE and PAG oils used in refrigeration systems. Instead of a particulate, gel or soft polymer formation, the new liquids stabilize the system by lowering the overall H₂O ppm and act as an oil conditioner. After the chemical reaction, H₂O can no longer attach chemically to AC/R system contaminants and form a damaging sludge as it commonly does in systems not treated with Dry-R. Dry-R changes a wet liquid line indicator from yellow to green within 24 hours.

o A three-ounce, vacuum-packed can of Super Seal HVACR designed for AC/R systems 1.5 to 5 tons. Super Seal is engineered to seal undetectable or inaccessible micro leaks in condensers, evaporators and line sets from the inside out. Injection is a one-step process of drawing the system refrigerant into the Super Seal vacuum-packed can for mixing and dispensing the sealant throughout a

clean, moisture-free system thus eliminating compatibility considerations. Super Seal is compatible with all refrigerants and oils. After conventional leak detection attempts prove unsuccessful, Super Seal's patented low viscosity, particle-free formula is designed to flow freely throughout the system without affecting valve cores, driers, compressors or other components. Once injected, Super Seal and the refrigerant leak out a hole of 300 microns or smaller, a chemical reaction crystallizes it around the hole during exposure to atmospheric moisture, and then forms a seal.

o One charging hose.

o Step-by-step application instructions.

For more information on Cliplight, an ISO 9001:2000 certified manufacturer and its HVAC and refrigeration products, please email hvacr@cliplight.com, call 1-866-548-3644 or visit www.cliplight.com.

Contacts:

Public Relations:

JPF Communications,
Inc.


John Parris Frantz
Account Executive for
Cliplight Mfg.

USA

Phone: 773-871-2600

 [E-mail this person](#)

General Information:

Linda Appler
USA
Phone: 866-548-3644
 [E-mail this person](#)

Company Information:

Name: Cliplight
Manufacturing Company
Address: 961 Alness
Street
City: Toronto
ZIP: M3J2J1
Country: Canada
Phone: 800-526-7096
<http://www.cliplight.com>

**More New Product News
from this company:**

- ▶ [UV Leak Detection Dye uses drying agent as carrier.](#)
- ▶ [Additive removes moisture and prevents acid in AC/R units.](#)
- ▶ [Tool removes stubborn HVAC/R valve cores.](#)
- ▶ [Cordless LED Work Lights provide even illumination.](#)
- ▶ [Micron Vacuum Gauge Kit attaches directly to HVAC/R system.](#)
- ▶ [Task Light features 1,800 MAh rechargeable NiMH battery.](#)
- ▶ [Refrigeration Sealants seal undetectable or micro leaks.](#)
- ▶ [HVAC/R Kit enables safe, clean leak detection.](#)

**Other News from this
company:**

- ▶ [Cliplight Renames Super Seal 3 Phase\(TM\) to Super Seal Commercial \(TM\)](#)
- ▶ [Cliplight Publishes HVAC/R Industry's First Training Manual For Refrigeration Sealants](#)
- ▶ [Cliplight Mfg. Names Southland Marketing as Top HVAC/R Sales Firm of 2005 at AHR Expo](#)



[Click here for copyright permissions!](#)
Copyright 2009
Thomas Publishing
Company

Post a comment about this story

Name:

E-mail:
(your e-mail address will not be posted)

Comment title:

Comment:

[Home](#) | [My Newsroom](#) | [Industrial Market Trends](#) | [Submit Release](#) | [Advertise](#) | [Contact NewsRoom](#) | [About Us](#)



Brought to you by [Thomasnet.com](#) Browse [ThomasNet Directory](#)

News provided by ThomasNet Industrial Newsroom® (TIN). TIN is a comprehensive source of new and timely product information in the industrial marketplace. TIN supplies new product information to the web sites, e-marketplaces and print publications that serve the industrial marketplace. For press release submissions please go to <http://news.thomasnet.com/submitpr.html>. BY ACCESSING, BROWSING AND/OR USING THIS WEB SITE AND/OR ANY WEB SITES PROVIDED BY ProductNews.com, YOU AGREE TO BE BOUND BY THE [TERMS OF USE AGREEMENT](#).

Copyright © 2009 Thomas Publishing Company
[Terms of Use](#) - [Privacy Policy](#)

1.35