




BETTER BY DESIGN.



800.526.7096
cliplight.com
sales@cliplight.com

INDEX

LIGHTING

HEMI-SERIES.....	3
WORK LIGHTS.....	4
CORD REELS.....	5

A/C PERFORMANCE

SUPER SEAL & ADDITIVES.....	6
AIR PURIFICATION.....	7
OILS & UV DYES.....	8
UV LIGHTS & FLASH™ DYE.....	9
DYE INJECTORS & LEAK DETECTION.....	10-11

SHOP TOOLS

A/C TOOLS.....	12-13
AUTOMOTIVE TOOLS.....	13

REPLACEMENT PARTS & WARRANTY.... 14-15

Scan QR code or go to cliplight.com
for new product releases



113302 / 113303*
HEMIPRO™ 2 & 3



- / Patented Uni-Beam™ technology: powerful, wide 70° beam with no shadows or hot spots
- / 2500 mAh NiMH battery rechargeable in 3 hours – charge at any time
- / Built shop-tough, no-slip grip, & recessed on/off switch
- / Hemipro 2 – 5 hours continuous runtime
- / Hemipro 3 – 3 hours continuous runtime
- / Most parts user replaceable in minutes

114303*
HEMIPLUS™



- / 8+ hours continuous cordless runtime
- / Patented Uni-Beam™ technology: powerful, wide 70° beam with no shadows or hot spots
- / 8800 mAh Lithium Ion battery rechargeable in 4 hours – charge at any time
- / Aircraft-grade aluminum chassis
- / Charging station included
- / Optional 12 V charger & magnet
- / All parts user replaceable in minutes

114333*
HEMIPLUS 3-WAY™

NEW FOR
2012



- / Same cordless features as HEMIPPLUS 114303 with 2 corded options: cable & cord reel
- / Cable & cord reel adaptor 410213 included
- / Optional accessories:
- 410178 – 25 ft / 7.6 m SJOW 18/2 cable
- 410179 – 50 ft / 15.3 m SJOW 18/2 cable
- 410183 – Chrome cord reel: 40 ft / 12.2 m SJTOW 18/2 cable

123107 / 223112*
HEMITECH™ ONE

NEW FOR
2012



- / Patented Uni-Beam™ technology: powerful, wide 84° beam with no shadows or hot spots
- / Single high-performance array LED
- / Ultra-compact body design
- / Sliding hook & optional magnet – flexible work area positioning
- / Aircraft-grade aluminum chassis, no-slip grip, & recessed on/off switch
- / Protective lens shield user replaceable in minutes

- 123107 – 25 ft / 7.6 m SJOW 18/2
- 123115 – 50 ft / 15.3 m SJOW 18/2
- 223112 – Cord reel 40 ft / 12.2 m SJTOW 18/2
Rubber cable with adjustable stop

123307 / 223412*
HEMITECH™ 3 & 4



- / Patented Uni-Beam™ technology: powerful, wide 70° beam with no shadows or hot spots
- / Sliding hook & optional magnet – flexible work area positioning
- / Aircraft-grade aluminum chassis, no-slip grip, & recessed on/off switch
- / Protective lens shield user replaceable in minutes

- | | | |
|---|---|--|
| 123307 – 3 LED
25 ft / 7.6 m
SJOW 18/2 cable | 123407 – 4 LED
25 ft / 7.6 m
SJOW 18/2 cable | 223312 – 3 LED cord reel
40 ft / 12.2 m SJTOW 18/2
Rubber cable with adjustable stop |
| 123315 – 3 LED
50 ft / 15.3 m
SJOW 18/2 cable | 123415 – 4 LED
50 ft / 15.3 m
SJOW 18/2 cable | 223412 – 4 LED cord reel
40 ft / 12.2 m SJTOW 18/2
Rubber cable with adjustable stop |

111101
FLEX SPOT LED LIGHT



- / Powerful single LED – perfect circular beam
- / Heavy-duty earth magnet
- / 'Bend anywhere & stay there' flexibility
- / 3 AA batteries included

111103
MAGNETIC PICK-UP LED LIGHT



- / 3 long-lasting LEDs
- / Magnetic, telescopic head & 19" extension for hard-to-reach areas
- / 4 LR44 button batteries included

111201
FOCUS & STROBE LED LIGHT



- / Constant or strobe beam
- / Beam can be focused for intensity
- / Compact-sized for tight spots
- / 3 AAA batteries included

100307 / 100310 / 100315
WORK LIGHTS



- / Grounded outlet handle
- 100307 – 23 ft / 7 m SJTW 16/3 cable
- 100310 – 32 ft / 10 m SJTW 16/3 cable
- 100315 – 50 ft / 15.3 m SJTW 16/3 cable

101307 / 101315
WORK LIGHTS



- / Grounded outlet handle
- / 13 amp circuit breaker
- 101307 – 23 ft / 7 m SJOW 16/3 cable
- 101315 – 50 ft / 15.3 m SJOW 16/3 cable

769717 / 769718
769770 / 769771
RUGGED WORK LIGHTS



- / Grounded outlet handle
- 769717 – 25 ft / 7.6 m SJTW 16/3 cable
- 769718 – 50 ft / 15.3 m SJTW 16/3 cable
- 769770 – 25 ft / 7.6 m SJOW 16/3 cable
- 769771 – 50 ft / 15.3 m SJOW 16/3 cable

100505
THE CLIPLIGHT



- / "The Original" battery clip-on light
- / Custom 12 V bulb and protective cage
- / 15 ft / 5 m PXWT 18/2 cable

111207
FLUORESCENT WORK LIGHT



- / 15 watt
- / 23 ft / 7 m SJOW 18/2 cable

221308
TRI-TAP CORD REEL



/ Tri-tap
/ 10 amp circuit breaker
/ 30 ft / 9.2 m SJTW 16/3 cable

222308
TRI-TAP CHROME CORD REEL



/ Tri-tap
/ 13 amp circuit breaker
/ 30 ft / 9.2 m SJTW 14/3 cable

222315
TRI-TAP HEAVY DUTY CORD REEL



/ Tri-tap
/ 15 amp circuit breaker
/ 50 ft / 15.3 m SJTW 12/3 cable

210215
FLUORESCENT CORD REEL



/ 13 watt
/ Magnet
/ 40 ft / 12.2 m SJT 18/2 cable

213307
HEAVY DUTY FLUORESCENT
CORD REEL



/ 13 watt
/ Grounded outlet handle
/ Magnet
/ 25 ft / 7.6 m SJTW 16/3 cable

226315
HEAVY DUTY FLUORESCENT
CORD REEL



/ 26 watt
/ Grounded outlet handle
/ Magnet
/ 50 ft / 15.3 m SJTW 16/3 cable

200312
INCANDESCENT CORD REEL



/ Grounded outlet handle
/ 40 ft / 12.2 m SVT 18/3 cable

111307
FLUORESCENT WORK LIGHT



/ 13 watt
/ Grounded outlet handle
/ Magnet
/ 25 ft / 7.6 m SJTW 16/3 cable

126307
FLUORESCENT WORK LIGHT



/ 26 watt
/ Grounded outlet handle
/ Magnet
/ 25 ft / 7.6 m SJTW 16/3 cable

946KIT*
SUPER SEAL PREMIUM™

NEW LOOK
2012



- / Permanently seals & prevents leaks in mobile A/C systems
- / Seals leaks in evaporators, condensers, accumulators, as well as o-rings, gaskets, metal lines, & rubber hoses
- / Professional Strength Formula – easily installed in minutes
- / Compatible with all refrigerants including R12, R134a, & R1234yf
- / Hose included

976KIT*
SUPER SEAL TOTAL AUTO

NEW LOOK
2012



- / Permanently seals & prevents leaks in mobile A/C systems
- / Seals leaks in evaporators, condensers, accumulators, as well as o-rings, gaskets, metal lines, & rubber hoses
- / DRY R™ eliminates moisture & prevents acid formation
- / FLASH™ UV dye highlights larger leaks
- / Professional Strength Formula – easily installed in minutes
- / No need to change receiver-drier
- / Compatible with all refrigerants including R12, R134a, & R1234yf
- / Hose included

70501KIT
RETROCHILL™



- / Retrofits R12 systems to more environmentally-friendly R134a
- / Convenient pressurized can
- 70501KIT – 1 can & hose included
- 70505KIT – 5 cans & hose included
- 70510KIT – 10 cans & hose included

941KIT / 9414KIT*
TARGET SEAL™



- / Same Professional Strength Formula as Super Seal Premium™
- / volume for a fast & economical method to instantly seal leaks
- / Compatible with all refrigerants including R12, R134a, & R1234yf
- 941KIT – 1 can & hose included
- 9414KIT – 4 cans & hose included

945KIT
SUPER CHILL™



- / A/C booster & leak sealant
- / Engineered to improve efficiency of R134a systems
- / Lowers vent temperatures
- / Quiets noisy compressors & rejuvenates o-rings, seals, gaskets
- / Cures polymer porosity to eliminate leaks

977KIT*
DRY R™ AUTO



- / Eliminates moisture & prevents acid formation
- / Increases drier efficiency & A/C life cycle
- / Professional Strength Formula – easily installed in minutes
- / Compatible with all refrigerants including R12, R134a, & R1234yf
- / Hose included



- / Ozone is the most powerful sterilant commercially available to kill bacteria, viruses, odors, & mold spores
- / The Purifier™ Fresh Air Ozone Machine incorporates the latest in ozone purification technology
- / Eliminates mold, mildew, & bacteria from mobile A/C systems & cabin interiors
- / Removes harmful odors naturally – even the most offensive & stubborn odors such as tobacco smoke
- / These hazards are eliminated at their source, not masked
- / Purified air means a healthier & more comfortable cabin environment
- / Convenience of portable design, AC (100-240 V) & DC power, & programmable timer
- / Safely completes most jobs in only 20 minutes
- / Perfect for automobiles, RVs, boats, or other spaces with lingering odors or bacteria

160AIR
CLEANVAP



- / Evaporator cleaner safely removes odor-causing contaminants
- / Heavy-duty formula is clean, safe, & non-toxic

161AIR
A/C ODOR SHIELD



- / Prevents odor-causing microbes & moisture in A/C systems for one year

162AIR
COOLING COIL COATING



- / Coats cooling coils & provides preventative protection for three years

161AIRKIT / 162AIRKIT
CLEANVAPKIT



- 161AIRKIT
- / 2 x Cleanvap
- / 2 x A/C Odor Shield
- / Applicator

- 162AIRKIT
- / 2 x Cleanvap
- / 2 x Cooling Coil Coating
- / Applicator

51105 / 51110
PAO 68 OIL



- / Universal, high-quality, multi-grade synthetic oil
- / Improves efficiency with quicker pull down times & lower vent temperatures
- / Eliminates carrying different grades or viscosities of A/C lubricants
- / Fill-up or top-up
- 51105 – 500 ml
- 51110 – 1 L
- 51111 – 1 L + UV dye

51111
PAO 68 OIL + UV DYE



51112
HYBRID A/C COMPRESSOR OIL



- / Synthetic lubricant for hybrid A/C systems
- / Protection against electrical current leakage
- / Contains conditioners, inhibitors, & anti-wear agents
- / Provides lubricity & compressor protection

805CLN
DYE CLEANER



- / Industrial strength dye cleaner

930KIT
30 SHOT UV DYE



- / Easily installed in minutes
- / No dye injector needed
- / Compatible with R134a

A/C ADDITIVES

900012
12 x ¼ oz / 7.5 ml




900008
8 oz / 240 ml



900006B
6 x 1 oz / 30 ml



900012B
12 x ¼ oz / 7.5 ml



909008
8 oz / 240 ml



909006B
6 x 1 oz / 30 ml



909012B
12 x ¼ oz / 7.5 ml



- / Universal A/C system additives
- / Meets SAE Standard J2297
- / Recommended Usage:
Single pillow pack per auto A/C system or ¼ oz per 10 oz (7.5 ml per 300 ml) of compressor oil

MULTI-PURPOSE ADDITIVES

- / All-purpose additives for engines, transmissions, hydraulics, power steering & fuel system leaks
- / Recommended Usage:
Crankcase oil: 1 oz per 5 qt (30 ml per 4.8 L)
ATF: 1 oz per 4 qt (30 ml per 3.8 L)

RADIATOR ADDITIVES

990008
8 oz / 240 ml



990006B
6 x 1 oz / 30 ml



990012B
12 x ¼ oz / 7.5 ml



511046
8 oz / 240 ml



511101
8 oz / 240 ml



511150
8 oz / 240 ml



511102
8 oz / 240 ml



- / Radiator coolant additives
- / Recommended Usage:
1 oz per 8 qt (30 ml per 7.6 L) of coolant

/ 46 viscosity

/ 100 viscosity

/ 150 viscosity

/ 100 viscosity

84DC*
VECTOR 4™ UV LED



- / Patented lens technology – high-powered UV output
- / 4 hours continuous run time
- / 9 V battery & wrist strap included
- / UV enhancing glasses not required

87DC*
VECTOR 7™ UV LED



- / Patented lens technology – high-powered UV output
- / Rechargeable 1800 mAh NiMH battery with charge indicator
- / 5 hours continuous run time – charge at any time
- / UV enhancing glasses not required

88DC
BLUE FOCUS & STROBE



- / Constant or strobe beam
- / Beam can be focused for intensity
- / Compact-sized for tight spots
- / 3 AAA batteries & UV enhancing glasses included

450DC*
BLUE LED



- / Patented design for long distance leak detection
- / Daylight-effective brightness
- / Rechargeable 1800 mAh NiMH battery with charge indicator
- / 2 hours continuous run time – charge at any time
- / UV enhancing glasses included

60DC
MINI UV PRO LIGHT



- / Powerful, high-intensity output
- / Instant on 12 V / 50 watt

61KIT
MINI UV PRO LIGHT KIT




- / Mini UV Pro light
- / Storage case
- / UV enhancing glasses

81DC
SLIM-LINE BLUE LED LIGHT



- / 6 LED high-intensity & compact blue light
- / 3 AA batteries included

82DC
UV & WHITE LED LIGHT



- / 21 UV & 20 white LEDs
- / No-slip grip & water-resistant
- / 4 AAA batteries included

980*
FLASH™ UNIVERSAL A/C DYE

NEW LOOK
2012



- / Flashes into refrigerant as mist
- / Instant distribution
- / Highly stable – will not react with moisture
- / No dye injector needed
- / Hose 943 not included

98181KIT / 98381KIT*
FLASH™ UNIVERSAL A/C DYE KIT

NEW LOOK
2012



- / Hose
- / 1 x 3 service stickers
- / 1 bottle coolant dye
- / 1 bottle oil / transmission dye
- / Compact 81 DC blue LED light
- / UV enhancing glasses & storage case
- 98181KIT – with 1 can of FLASH™ dye
- 98381KIT – with 3 cans of FLASH™ dye

**9310KIT
CONCERTINA
UNIVERSAL A/C DYE INJECTOR**



- / Heavy-duty polycarbonate body
- / Easy application – one handle turn = one dye shot
- / Universal A/C dye – meets SAE Standard J2297
- / 1 x 10 shot A/C dye cartridge & service stickers
- / Hose & fittings

**9514KIT / 9528KIT
PRO COMPACT
UNIVERSAL A/C DYE INJECTOR**



- / Heavy-duty chrome body
- / Easy application – one handle turn = one dye shot
- / Universal A/C dye – meets SAE Standard J2297
- / Hose & fittings
- 9514KIT – 1 x 14 shot A/C dye cartridge & service stickers
- 9528KIT – 2 x 14 shot A/C dye cartridges & service stickers

**9730KIT / 97330KIT*
CONCERTINA KIT**



- / 3 x 10 shot A/C dye cartridges & service stickers
- / Hose & fittings
- / High-powered 87DC UV LED light
- / Dye cleaner & drip guards
- / UV enhancing glasses & storage case
- 97330KIT – with 450DC blue LED light

**9928KIT / 99428KIT*
PRO COMPACT KIT**



- / 2 x 14 shot A/C dye cartridges & service stickers
- / Hose & fittings
- / High-powered 87DC UV LED light
- / Dye cleaner & drip guards
- / UV enhancing glasses & storage case
- 99428KIT – with 450DC blue LED light

**9781KIT / 9782KIT
CONCERTINA KIT**




- / 1 x 10 shot A/C dye cartridge & service stickers
- / Hose & fittings
- / Compact 81DC blue LED light
- / 1 bottle coolant dye
- / 1 bottle oil / transmission dye
- / Drip guards, UV enhancing glasses, & storage case
- 9782KIT – with 82DC UV & white LED light

**9981KIT / 9982KIT
PRO COMPACT KIT**



- / 1 x 14 shot A/C dye cartridge & service stickers
- / Hose & fittings
- / Compact 81DC blue LED light
- / 1 bottle coolant dye
- / 1 bottle oil / transmission dye
- / Drip guards, UV enhancing glasses, & storage case
- 9982KIT – with 82DC UV & white LED light

580951 ELECTRONIC REFRIGERANT LEAK DETECTOR



- / Instant & precise pinpointing of the leak source
- / Detects all refrigerants – HFCs, HCFCs, & CFCs, including R1234yf
- / Long life, stable sensor
- / Smart sensor with LED display is independent from audio alarm & sensitivity level
- / 3 adjustable sensitivity levels & audio mute function
- / Automatic calibration & reset to ambient levels
- / Made in USA with 2-year warranty
- / 4 AA batteries included – 8 hours continuous run time
- / SAE J2791 & EN 14624 Certified

58095181KIT LEAK DETECTOR KIT



- / Electronic refrigerant leak detector
- / Compact 81DC blue light
- / 2 x leak test vials, extra dye filters

58095187KIT* ALL-IN-ONE LEAK DETECTOR KIT



- / Electronic refrigerant leak detector
- / Pro Compact A/C dye injector, hose & fittings
- / High-powered 87DC UV LED light
- / 1 x 14 shot A/C dye cartridge & service stickers
- / 2 x leak test vials, extra dye filters

701INJ-V* PREMIUM R12 DYE INJECTOR



- / Patented windowed body design
- / 2 metered ball valves & R12 anti-blow back valve

703INJ-VB* PREMIUM R134a DYE INJECTOR



- / Patented windowed body design
- / 2 metered ball valves & automatic low-side quick disconnect service coupler

309*
VISION™ MANIFOLD GAUGE



/ Patented magnifying sight glass uses ambient light for enhanced viewing of refrigerant & contaminants

- Both gauges feature:
- / Increased vision & control for system diagnostics, charging, recovery, & evacuation
 - / Ratcheting hook – gauges stay in position
 - / Heavy-duty valve handles with calibration rings
 - / Fine throttle valves for liquid charging of blended refrigerants
 - / Compatible with all standard refrigerant hoses
 - / Limited lifetime warranty on manifold bar & valves

310*
FIREFLY™ MANIFOLD GAUGE



/ Patented magnifying sight glass with white & blue LED backlighting to illuminate refrigerant, contaminants, & dye

309KIT / 310KIT*
MANIFOLD GAUGE KIT



/ 2 x 72" charging hoses as in 72133KIT
/ Heavy-duty storage case
309KIT – with Vision™ manifold gauge
310KIT – with Firefly™ manifold gauge

72133KIT
CHARGING HOSES



- / 72" charging hoses with ½" ACME fittings
- / High & low side aluminum R134a quick disconnect
- / Compatible with R12 & R134a systems

72102
RECYCLE GUARD



- / Cleanses refrigerant in A/C systems
- / Traps & removes contaminants
- / Compatible with all A/C recovery equipment
- / Recovery hose included
- / Replacement filters available

312KIT
VALVE CORE REMOVER



- / Removes valve core without loss of vacuum
- / Compatible with R12 & R134a systems
- / Available for Standard, SPX Standard, SPX mm, Eaton (Ford), & GM
- / High & low side adaptors
- / Heavy-duty storage case

TCK500
THREAD CHASER KIT



- / 5 male & female fittings:
"-18, ¾"-16, "-14, 1"-14, 1-½"-14

TCK580
AG EQUIPMENT THREAD CHASER KIT



- / 8 male & female fittings:
M14x1.5, M16x1.5, M18x1.5, M20x1.5,
M22x1.5, M24x1.5, M27x2, M28x1.5

580711
CIRCUIT TESTER



/ Works with 6, 12, & 24 V
/ 3 ft / 0.9 m of cable

580747
HEAVY-DUTY CIRCUIT TESTER




/ Rugged, industrial-duty
/ Works with 6, 12, & 24 V
/ 5 ft / 1.5 m of cable

580777
HEAVY-DUTY CIRCUIT TESTER



/ Green & red polarity indicators
/ Works with 6, 12, & 24 V
/ 5 ft / 1.5 m of cable

582000 / 581302 / 582302
E-ZEE LOCK



/ Eliminates electrical disconnections
582000 – Male to female, no cable
581302 – Male to female adaptor
582302 – Male to dual female adaptor

590441
WIRE STRIPPER



/ Reliable, heavy-duty wire stripper
/ Easily adjustable for accurate wire stripping

580500*
SPARK-KEY™



/ Ignites all butane, propane, & gas torches
/ Quick, easy, & safe
/ 100,000 sure-fire sparks
/ Water-resistant
/ No batteries required

67700
COMPRESSOR TURNER TOOL



/ Fits on clutch hubs that cannot be gripped by spanner/box wrenches
/ Rotates compressor as normal clutch operation

96625 / 96725 / 96825 / 96925*
DRIP GUARDS



/ Absorbs dye after application & during storage
/ Inserts into injector system coupler
/ Packs of 25
96625 – R134a low side coupler
96725 – R134a high side coupler
96825 – R12 female swivel nuts & anti-blowback fittings and hoses
96925 – Male R134a fittings (R12 adaptor)

90004
SERVICE PORT EXTENDER



/ Allows easy access to high side service port without removing radiator
/ Easy click-on coupler
/ Fits BMW 5 Series & Volvo E60

MODULAR LIGHTING – REPLACE THE PART, NOT THE PRODUCT

HEMIPRO RECHARGEABLE LED LIGHTS

<p>410160 LUMIGUARD</p>  <p>HEMIPRO 2</p>	<p>410161 LUMIGUARD</p>  <p>HEMIPRO 3</p>	<p>410162 BATTERY</p>  <p>HEMIPRO 2 & 3</p>	<p>410164 CHARGER</p>  <p>HEMIPRO 2 & 3</p>	<p>410165 SWIVEL HOOK</p>  <p>HEMIPRO 2 & 3</p>	<p>410169 MAGNET</p>  <p>HEMIPRO 2 & 3</p>
--	--	--	--	--	---

HEMITECH CORDED & REEL LED LIGHTS

<p>400121 LIGHT HEAD</p>  <p>HEMITECH ONE</p>	<p>400123 LIGHT HEAD</p>  <p>HEMITECH 3</p>	<p>400124 LIGHT HEAD</p>  <p>HEMITECH 4</p>	<p>410170 HOOK</p>  <p>HEMITECH 3 & 4</p>	<p>410171 MAGNET</p>  <p>HEMITECH 1, 3, & 4</p>	<p>410172 LENS SHIELD</p>  <p>HEMITECH 3 & 4</p>
<p>410178 25 ft / 7.6 m CABLE NO ADAPTOR</p>  <p>HEMITECH 1, 3, & 4</p>	<p>410179 50 ft / 15.3 m CABLE NO ADAPTOR</p>  <p>HEMITECH 1, 3, & 4</p>	<p>410182 CABLE ADAPTOR</p>  <p>HEMITECH 1, 3, & 4</p>	<p>410183 CORD REEL NO CABLE ADAPTOR</p>  <p>HEMITECH 1, 3, & 4</p>	<p>410208 LENS</p>  <p>HEMITECH 1</p>	<p>410209 HOOK</p>  <p>HEMITECH 1</p>

HEMIPLUS RECHARGEABLE LED LIGHTS

<p>410189 HOOK ASSEMBLY</p> 	<p>410190 BATTERY</p> 	<p>410191 CHARGING STATION</p> 	<p>410192 LENS COVER</p> 	<p>410195 CHARGER</p> 	<p>410213 CABLE ADAPTOR</p> 
<p>410196 BASE CHARGING CONTACTS</p> 	<p>410197 BUTTON HOUSING</p> 	<p>410198 CIRCUIT BOARD</p> 	<p>410199 SIDE BUMPERS</p> 	<p>410207 MAGNET</p> 	<p>HEMIPLUS 3-WAY</p>






























TERMS & CONDITIONS

Master Cartons: Orders must be placed in standard pack quantities. Orders will automatically be adjusted to nearest standard pack quantity. Shortages and claims for shortages must be made within 48 hours of receipt of delivery.

Annual Stock Adjustments: A distributor that wishes credit on new material, which is in original factory packaging, must first obtain a Return Goods Authorization (RGA) number and shipping instructions from Cliplight Customer Service. All RGAs are to be sent prepaid and the RGA number must appear on all documents and correspondence relating to the matter. All returned products are subject to a restocking fee of 25% or an off-setting order amounting to 125% of returned goods.

Pricing: All pricing is subject to change without notice and all shipments will be invoiced at time of shipping. Possession of this price list does not necessarily entitle holder to purchase or receive these prices. Due to our ongoing quest for product improvement, we reserve the right to change product design and or pricing without notice.

Terms: All orders are subject to approval as prices may change without notice. Our payment terms are NET 30 days upon approved credit. Overdue accounts are subject to a monthly interest charge. Remittance payable to Cliplight Manufacturing Company. Minimum Order is \$200.00, excluding replacement parts. Freight is prepaid on single orders of \$1000.00 or more to a single destination in Canada or the Continental United States.

<p>UVEC-07D BATTERY</p>  <p>87DC - 450DC</p>	<p>UVEC-07E CHARGER</p>  <p>87DC-450DC</p>	<p>UVEC-07G 12 V CHARGER</p>  <p>87DC-450DC-113302 113303-114303-114333</p>	<p>131 UV ENHANCING GLASSES</p>  <p>LEAK DETECTION KITS</p>	<p>72110 RECYCLE GUARD FILTER</p>  <p>72100-72102</p>	<p>72120 RECYCLE GUARD HOSE</p>  <p>72100-72102</p>
<p>400012 INCANDESCENT BULB 12 V - 50 W</p>  <p>100505 BOXED INDIVIDUALLY</p>	<p>400101 METAL LAMP CAGE</p>  <p>100307-100310-100315 101307-101315-200312</p>	<p>400104 SOCKET SWITCH</p>  <p>100307-100310-100315 100505-101307-101315 200312</p>	<p>400106 3 CONDUCTOR HANDLE</p>  <p>100307-100310-100315 200312</p>	<p>400107 3 CONDUCTOR HANDLE OUTLET + CIRCUIT BREAKER</p>  <p>101307-101315</p>	<p>410113RS 13 W FLUORESCENT BULB</p>  <p>111307-126307-210215 213307-226315</p>
<p>410114 MAGNET</p>  <p>111307</p>	<p>410116 HOOK</p>  <p>111307</p>	<p>410117 OUTER LENS</p>  <p>111307 - 210215</p>	<p>410119 HANDLE SET</p>  <p>111307</p>	<p>410150 LENS</p>  <p>213307</p>	<p>410151 MAGNET</p>  <p>213307</p>
<p>410158 MAGNET</p>  <p>126307-226315</p>	<p>410159 LENS</p>  <p>126307-226315</p>	<p>410184 LIGHT HEAD</p>  <p>111101</p>	<p>410185 BENDABLE CABLE & LED</p>  <p>111101</p>	<p>410186 LIGHT BODY & SWITCH</p>  <p>111101</p>	<p>410187 MAGNETIC BASE</p>  <p>111101</p>
<p>410200 MAGNETIC PICK-UP LIGHT HEAD</p>  <p>111103</p>	<p>410211 PURIFIER ADAPTOR</p>  <p>170AIR</p>	<p>410212 PURIFIER BULB</p>  <p>170AIR</p>	<p>769734 3 CONDUCTOR HANDLE RECEPTACLE/CAGE/SWITCH</p>  <p>769717-769718-769770 769771</p>	<p>769761 SWITCH</p>  <p>769717-769718-769770 769771</p>	<p>769970 GUARD</p>  <p>769717-769718-769770 769771</p>
<p>933000 CONCERTINA INJECTOR</p> 	<p>933010 CONCERTINA A/C DYE CARTRIDGE</p> 	<p>939 CONCERTINA HOSE & FITTING</p> 	<p>955000 PRO COMPACT INJECTOR</p> 	<p>955014 PRO COMPACT A/C DYE CARTRIDGE</p> 	<p>20126 PRO COMPACT HOSE</p> 

DISTRIBUTOR WARRANTY & RETURN POLICY

If your Cliplight product fails because of manufacturing defect within the warranty period from the date of original purchase for use, we will replace, rebuild, or repair the product without charge.

PRODUCTS WARRANTY PERIOD

Cord Reels – 6 Months / Work Lamps – 6 Months / Fluorescent Work Lamps – 6 Months / Circuit Testers – 6 Months / Wire Strippers – 6 Months
UV Lights – 12 Months / LED Lights – 12 Months

Return the defective product to the supplier from where it was purchased, together with a copy of the "PROOF OF PURCHASE" for the product. If the product is defective and shows no signs of abuse, it will be replaced if under 90 days in use, and repaired or replaced at Cliplight's discretion if over 90 days and still within the warranty period.

All products returned must be inspected by your local Cliplight rep at the jobber location. For rep's name plus the Return Goods Authorization (RGA) number, please contact Customer Service at 800.526.7096 or by fax at 416.736.9138.

This warranty does not cover the failure of products damaged by abuse, misuse, or improper installation while in your possession. This warranty does not apply to bulbs or cables.

Purify cabin air quickly & effectively.

CLIGHT
THE PURIFIER™
FRESH AIR OZONE MACHINE

- / Eliminates mold, mildew, & bacteria from mobile A/C systems & cabin interiors
- / Removes offensive & harmful odors naturally
- / Convenience of AC & DC power with programmable timer
- / Safely completes most jobs in only 20 minutes

